

Drill Line Spooler Specifications																						
Units	Drill Line Diameter				Reel Capacity								Spooler Dimensions						Weights			
Model	Size		Length		Max Flange		Max Outside Width		Min Arbor Hole		Min Drive Hole		Length		Width		Height		Approx. Empty Weight		Approx. Loaded Weight	
	IN	MM	FT	M	IN	MM	IN	MM	IN	MM	IN	MM	IN	MM	IN	MM	IN	MM	LBS	T	LBS	T
TUAF-20 DLS	1 1/8	28	5,000	1,524	80	2,032	55	397	4	102	2	51	62.5	1,587	90.75	2,035	87.5	2,222	4,000	2	28,000	14
TUAF-30 DLS	1 3/8	35	7,500	2,286	90	2,286	62	1,574	4	102	2	51	94	2,387	101.5	2,518	100	2,580	5,700	2.85	40,000	20
TUAF-45 DLS	1 3/4	44	7,500	2,286	100	2,540	70	1,778	5	127	2	51	97	2,463	111	2,819	118	2,997	7,000	3.5	56,000	28
TUAF-60 DLS	1 3/4	44	10,000	3,048	108	2,743	75	1,905	6	152	2	51	100	2,540	117	2,971	124	3,149	9,500	4.75	72,000	36
TUAF-80 DLS	2	51	10,000	3,048	120	3,048	80	2,032	7	178	3	76	110	2,794	128	3,251	140	3,556	11,000	5.5	95,000	47.5
TUAF-120 DLS	2	51	15,000	4,572	128	3,251	80	2,032	7	178	3	76	100	2,540	130	3,302	140	3,556	11,500	5.75	131,000	65.5

Dimension and weights are approximate and subject to change